



Manufacturing & Innovation Center



Fabrication



Powder Coating



PCB Manufacturing



SMT Assembly



4 Assembly Lines with a capacity of 2000pcs Per Day



Spectrophotometer




Electrical Testing




IP Testing

INDEX



01-06

COMMERCIAL LIGHTING



07-15

ARCHITECTURAL LIGHTING



16-21

RETAIL LIGHTING



22-30

INDUSTRIAL LIGHTING



31-42

LANDSCAPE LIGHTING



COMMERCIAL LIGHTING



Slim Panel Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|------------|
| | | | Cut Out Size | Outer Size |
| EC001 | 4W | 3000K - 6500K | 70 X 70 | 82 X 82 |
| EC002 | 6W | 3000K - 6500K | 95 X 95 | 110 X 110 |
| EC003 | 9W | 3000K - 6500K | 100 X 100 | 120 X 120 |
| EC004 | 12W | 3000K - 6500K | 138 X 138 | 150 X 150 |
| EC005 | 15W | 3000K - 6500K | 150 X 150 | 175 X 175 |
| EC006 | 18W | 3000K - 6500K | 175 X 175 | 190 X 190 |
| EC007 | 22W | 3000K - 6500K | 200 X 200 | 220 X 220 |
| EC008 | 36W | 3000K - 6500K | 575 X 575 | 595 X 595 |



Backlit Panel Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|------------|--------|
| | | | Cut Out Size | Outer Size | Height |
| EC009 | 6W - 10W | 3000K - 6500K | 95 X 95 | 105 X 105 | 25 |
| EC010 | 12W - 18W | 3000K - 6500K | 130 X 130 | 145 X 145 | 25 |
| EC011 | 20W - 24W | 3000K - 6500K | 157 X 157 | 170 X 170 | 25 |



Button Lights

| Code | Wattage (W) | Design | Colour Temperature | Dimension (mm) | | |
|-------|-------------|----------------------------|--------------------|----------------|------------|--------|
| | | | | Cut Out Size | Outer Size | Height |
| EC012 | 1W | LED Button Round | 3000K - 6500K | 28 X 28 | 35 X 35 | 20 |
| EC013 | 3W | LED Button Round & Square | 3000K - 6500K | 34 X 34 | 40 X 40 | 25 |
| EC014 | 3W | LED Surface Round & Square | 3000K - 6500K | 65 X 65 | 65 X 65 | 30 |



Surface Panel Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|--------|
| | | | Outer Size | Height |
| EC015 | 4W | 3000K - 6500K | 80 X 80 | 35 |
| EC016 | 9W | 3000K - 6500K | 120 X 120 | 35 |
| EC017 | 12W | 3000K - 6500K | 143 X 143 | 35 |
| EC018 | 15W | 3000K - 6500K | 167 X 167 | 35 |
| EC019 | 22W | 3000K - 6500K | 205 X 205 | 35 |



Movable COB Spot Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|------------|--------|
| | | | Cut Out Size | Outer Size | Height |
| EC020 | 3W - 6W | 3000K - 6500K | 58 X 58 | 68 X 68 | 35 |
| EC021 | 8W - 10W | 3000K - 6500K | 70 X 70 | 88 X 88 | 40 |
| EC022 | 12W - 15W | 3000K - 6500K | 85 X 85 | 105 X 105 | 55 |
| EC023 | 20W - 25W | 3000K - 6500K | 105 X 105 | 120 X 120 | 75 |
| EC024 | 30W - 36W | 3000K - 6500K | 135 X 135 | 145 X 145 | 90 |
| EC025 | 40W - 50W | 3000K - 6500K | 145 X 145 | 160 X 160 | 100 |



666 COB Spot Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|------------|--------|
| | | | Cut Out Size | Outer Size | Height |
| EC026 | 6W - 10W | 3000K - 6500K | 56 X 56 | 66 X 66 | 52 |
| EC027 | 12W - 15W | 3000K - 6500K | 72 X 72 | 86 X 86 | 56 |



Curvy COB Spot Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|------------|--------|
| | | | Cut Out Size | Outer Size | Height |
| EC028 | 6W - 10W | 3000K - 6500K | 60 X 60 | 70 X 70 | 65 |
| EC029 | 12W - 15W | 3000K - 6500K | 76 X 76 | 83 X 83 | 75 |
| EC030 | 18W - 20W | 3000K - 6500K | 85 X 85 | 95 X 95 | 85 |
| EC031 | 25W - 28W | 3000K - 6500K | 120 X 120 | 140 X 140 | 90 |
| EC032 | 30W - 36W | 3000K - 6500K | 145 X 145 | 165 X 165 | 110 |
| EC033 | 40W - 50W | 3000K - 6500K | 175 X 175 | 200 X 200 | 110 |



333 COB Spot Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|------------|--------|
| | | | Cut Out Size | Outer Size | Height |
| EC034 | 6W - 10W | 3000K - 6500K | 56 X 56 | 66 X 66 | 52 |
| EC035 | 12W - 15W | 3000K - 6500K | 72 X 72 | 76 X 76 | 55 |



Mirror Light

| Code | Wattage (W) | Colour Temperature | Dimension | | |
|-------|-------------|--------------------|-----------|-------|--------|
| | | | Length | Width | Height |
| EC036 | 5W | 3000K - 6500K | 150 | 80 | 30 |
| EC037 | 10W | 3000K - 6500K | 300 | 80 | 30 |
| EC038 | 20W | 3000K - 6500K | 600 | 80 | 30 |
| EC039 | 36W | 3000K - 6500K | 960 | 80 | 30 |




2by2 Backlit Panel

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|-------|--------|
| | | | Length | Width | Height |
| EC040 | 18W (1by1) | 3000K - 6500K | 300 | 300 | 70-85 |
| EC041 | 24W (1by2) | 3000K - 6500K | 300 | 600 | 70-85 |
| EC042 | 36W (1by4) | 3000K - 6500K | 300 | 1200 | 70-85 |
| EC043 | 36W (2by2) | 3000K - 6500K | 600 | 600 | 70-85 |
| EC044 | 72W (2by4) | 3000K - 6500K | 600 | 1200 | 70-85 |



Led Strip Light


| Code | No of LED (Per Mtr.) | Colour Temperature | Dimension | |
|-------|----------------------|------------------------|-----------|--------|
| | | | Length | Width |
| EC045 | 60 | 3000K - 6500K, R, G, B | 5 Mtr. | 8 / 10 |
| EC046 | 120 | 3000K - 6500K, R, G, B | 5 Mtr. | 8 / 10 |
| EC047 | 180 | 3000K - 6500K, R, G, B | 5 Mtr. | 8 / 10 |
| EC048 | 240 | 3000K - 6500K, R, G, B | 5 Mtr. | 8 / 10 |




SMPS

| Code | Voltage (V) | Ampere | Wattage (W) |
|-------|-------------|----------|-------------|
| EC049 | 12V | 1A - 30A | 12W - 360W |
| EC050 | 24V | 1A - 12A | 24W - 300W |


Profile Lighting



17mm SLIM SURFACE




17mm SLIM CONCEALED



5mm SURFACE



5mm CONCEALED



10mm SURFACE




10mm CONCEALED




14mm SURFACE




14mm CONCEALED




25mm SURFACE




25mm CONCEALED




35mm SURFACE




35mm CONCEALED



50mm SURFACE



50mm CONCEALED



16mm CORNER

*Standard Size: 2mtr, Customization also available as per your size



ARCHITECTURAL LIGHTING



Rimless Panel Light

| Code | Wattage (W) | Design | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------|--------------------|----------------|------------|--------|
| | | | | Cut Out Size | Outer Size | Height |
| EA001 | 8W - 12W | Round | 3000K - 6500K | 112 X 112 | 119 X 119 | 61 |
| | 8W - 12W | Square | 3000K - 6500K | 101 X 101 | 110 X 110 | 66 |
| EA002 | 15W - 18W | Round | 3000K - 6500K | 145 X 145 | 152 X 152 | 67 |
| | 15W - 18W | Square | 3000K - 6500K | 135 X 135 | 145 X 145 | 69 |
| EA003 | 24W | Round | 3000K - 6500K | 165 X 165 | 173 X 173 | 65 |
| | 24W | Square | 3000K - 6500K | 140 X 140 | 170 X 170 | 58 |



Elegant COB Light

| Code | Wattage (W) | Colour Temperature | Reflector Color Options | Dimension (mm) | | |
|-------|-------------|--------------------|--|----------------|------------|--------|
| | | | | Cut Out Size | Outer Size | Height |
| EA004 | 6W - 8W | 3000K - 6500K | Wooden, Gold Matt, Dark Gray, Rose Gold, Shiny Black, White, Black | 56 | 61 | 54 |
| EA005 | 12W - 15W | 3000K - 6500K | Wooden, Gold Matt, Dark Gray, Rose Gold, Shiny Black, White, Black | 80 | 70 | 62 |
| EA006 | 18W - 24W | 3000K - 6500K | Wooden, Gold Matt, Dark Gray, Rose Gold, Shiny Black, White, Black | 80 | 70 | 87 |




Lazer Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|------------|--------|
| | | | Cut Out Size | Outer Size | Height |
| EA007 | 12W | 3000K - 6500K | 135 X 25 | 145 X 33 | 50 |



3535 Linear Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) |
|-------|-------------|--------------------|-------------------------|
| | | | Height X Length X Width |
| EA008 | 18W | 3000K - 6500K | 35 X 600 X 35 |
| EA009 | 36W | 3000K - 6500K | 35 X 1200 X 35 |
| EA010 | 72W | 3000K - 6500K | 35 X 2400 X 35 |



3570 Linear Light


| Code | Wattage (W) | Colour Temperature | Dimension (mm) |
|-------|-------------|--------------------|-------------------------|
| | | | Height X Length X Width |
| EA011 | 18W | 3000K - 6500K | 70 X 600 X 35 |
| EA012 | 36W | 3000K - 6500K | 70 X 1200 X 35 |
| EA013 | 72W | 3000K - 6500K | 70 X 2400 X 35 |



5070 Linear Light



| Code | Wattage (W) | Colour Temperature | Dimension (mm) |
|-------|-------------|--------------------|-------------------------|
| | | | Height X Length X Width |
| EA014 | 18W | 3000K - 6500K | 70 X 600 X 50 |
| EA015 | 36W | 3000K - 6500K | 70 X 1200 X 50 |
| EA016 | 72W | 3000K - 6500K | 70 X 2400 X 50 |



Lazer Linear Light


| Code | Wattage (W) | Colour Temperature | Dimension (mm) |
|-------|-------------|--------------------|-------------------------|
| | | | Height X Length X Width |
| EA017 | 20W + 20W | 3000K - 6500K | 70 X 1200 X 35 |
| EA018 | 40W + 20W | 3000K - 6500K | 70 X 1800 X 35 |
| EA019 | 60W + 20W | 3000K - 6500K | 70 X 2400 X 35 |



Round Up & Down Linear Light




| Code | Wattage (W) | Colour Temperature | Dimension (mm) |
|-------|----------------|--------------------|----------------|
| | | | Length X Width |
| EA020 | 20W + 10W (Up) | 3000K - 6500K | 600 X 72 |
| EA021 | 40W + 20W (Up) | 3000K - 6500K | 1200 X 72 |
| EA022 | 80W + 40W (Up) | 3000K - 6500K | 2400 X 72 |



Square Linear Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|----------------|
| | | | Height | Length X Width |
| EA023 | 40W | 3000K - 6500K | 35 / 70 | 300 x 300 |
| EA024 | 80W | 3000K - 6500K | 35 / 70 | 600 X 600 |
| EA025 | 120W | 3000K - 6500K | 35 / 70 | 1200 X 1200 |
| EA026 | 240W | 3000K - 6500K | 35 / 70 | 1800 X 1800 |

CUSTOMIZATION ALSO AVAILABLE AS PER YOUR SIZE, DESIGN AND COLOUR



Rectangle Linear Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|----------------|
| | | | Height | Length X Width |
| EA027 | 60W | 3000K - 6500K | 35 / 70 | 600 x 300 |
| EA028 | 90W | 3000K - 6500K | 35 / 70 | 900 X 450 |
| EA029 | 120W | 3000K - 6500K | 35 / 70 | 1200 X 600 |
| EA030 | 150W | 3000K - 6500K | 35 / 70 | 1500 X 750 |
| EA031 | 180W | 3000K - 6500K | 35 / 70 | 1800 X 900 |

CUSTOMIZATION ALSO AVAILABLE AS PER YOUR SIZE, DESIGN AND COLOUR



Donut



| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|----------------|
| | | | Diameter | Height X Width |
| EA032 | 30W | 3000K - 6500K | 300 | 50 x 50 |
| EA033 | 36W | 3000K - 6500K | 450 | 50 x 50 |
| EA034 | 40W | 3000K - 6500K | 600 | 50 x 50 |
| EA035 | 50W | 3000K - 6500K | 750 | 75 x 50 |
| EA036 | 80W | 3000K - 6500K | 900 | 75 x 50 |
| EA037 | 120W | 3000K - 6500K | 1200 | 75 x 50 |
| EA038 | 150W | 3000K - 6500K | 1500 | 75 x 50 |




Zigzag Linear Light



| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|-------------------|
| | | | Height | Length X Width |
| EA039 | 30W | 3000K - 6500K | 35 / 70 | 300 X 300 X 300 |
| EA040 | 60W | 3000K - 6500K | 35 / 70 | 600 X 600 X 600 |
| EA041 | 90W | 3000K - 6500K | 35 / 70 | 900 X 900X 900 |
| EA042 | 120W | 3000K - 6500K | 35 / 70 | 1200 X 1200X 1200 |

CUSTOMIZATION ALSO AVAILABLE AS PER YOUR SIZE, DESIGN AND COLOUR



Triangle Linear Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|----------------|
| | | | Diameter | Height X Width |
| EA043 | 30W | 3000K - 6500K | 300 | 50 x 70 |
| EA044 | 36W | 3000K - 6500K | 450 | 50 x 70 |
| EA045 | 40W | 3000K - 6500K | 600 | 50 x 70 |
| EA046 | 50W | 3000K - 6500K | 750 | 50 x 70 |
| EA047 | 80W | 3000K - 6500K | 900 | 50 x 70 |
| EA048 | 120W | 3000K - 6500K | 1200 | 50 x 70 |
| EA049 | 150W | 3000K - 6500K | 1500 | 50 x 70 |

CUSTOMIZATION ALSO AVAILABLE AS PER YOUR SIZE, DESIGN AND COLOUR



Hexa Linear Light


| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|----------------|
| | | | Diameter | Height X Width |
| EA050 | 30W | 3000K - 6500K | 300 | 50 x 70 |
| EA051 | 36W | 3000K - 6500K | 450 | 50 x 70 |
| EA052 | 40W | 3000K - 6500K | 600 | 50 x 70 |
| EA053 | 50W | 3000K - 6500K | 750 | 50 x 70 |
| EA054 | 80W | 3000K - 6500K | 900 | 50 x 70 |
| EA055 | 120W | 3000K - 6500K | 1200 | 50 x 70 |
| EA056 | 150W | 3000K - 6500K | 1500 | 50 x 70 |

CUSTOMIZATION ALSO AVAILABLE AS PER YOUR SIZE, DESIGN AND COLOUR



Moon Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|--------|
| | | | Diameter | Height |
| EA057 | 30W | 3000K - 6500K | 300 | 50 |
| EA058 | 36W | 3000K - 6500K | 450 | 50 |
| EA059 | 40W | 3000K - 6500K | 600 | 50 |
| EA060 | 50W | 3000K - 6500K | 700 | 75 |
| EA061 | 80W | 3000K - 6500K | 900 | 75 |
| EA062 | 120W | 3000K - 6500K | 1200 | 75 |



Triangle Drum Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|--------|
| | | | Diameter | Height |
| EA063 | 30W | 3000K - 6500K | 300 | 75 |
| EA064 | 36W | 3000K - 6500K | 450 | 75 |
| EA065 | 40W | 3000K - 6500K | 600 | 75 |
| EA066 | 50W | 3000K - 6500K | 700 | 75 |
| EA067 | 80W | 3000K - 6500K | 900 | 75 |
| EA068 | 120W | 3000K - 6500K | 1200 | 75 |

CUSTOMIZATION ALSO AVAILABLE AS PER YOUR SIZE, DESIGN AND COLOUR



Hexa Drum Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|--------|
| | | | Diameter | Height |
| EA069 | 30W | 3000K - 6500K | 300 | 75 |
| EA070 | 36W | 3000K - 6500K | 450 | 75 |
| EA071 | 40W | 3000K - 6500K | 600 | 75 |
| EA072 | 50W | 3000K - 6500K | 700 | 75 |
| EA073 | 80W | 3000K - 6500K | 900 | 75 |
| EA074 | 120W | 3000K - 6500K | 1200 | 75 |

CUSTOMIZATION ALSO AVAILABLE AS PER YOUR SIZE, DESIGN AND COLOUR



Mirror Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) |
|-------|-------------|--------------------|------------------------------|
| EA075 | 10W - 30W | 3000K - 6500K | As per customer requirement. |



RETAIL LIGHTING



Flat Panel Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|------------|--------|
| | | | Cut Out Size | Outer Size | Height |
| ER001 | 12W - 15W | 3000K - 6500K | 126 X 126 | 140 X 140 | 30 |
| ER002 | 18W - 20W | 3000K - 6500K | 144 X 144 | 160 X 160 | 30 |
| ER003 | 24W - 30W | 3000K - 6500K | 172 X 172 | 185 X 185 | 30 |



Cylinder Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|--------|
| | | | Outer Size | Height |
| ER004 | 10W - 15W | 3000K - 6500K | 75 X 150 | 150 |
| ER005 | 20W - 25W | 3000K - 6500K | 100 X 150 | 150 |
| ER006 | 30W - 36W | 3000K - 6500K | 100 X 200 | 200 |



Zoom Light

| Code | Wattage (W) | Design | Colour Temperature | Dimension (mm) | | |
|-------|-------------|-------------------------|--------------------|----------------|------------|--------|
| | | | | Cut Out Size | Outer Size | Height |
| ER007 | 30W - 50W | ZOOM RECTANGLE (4 X 6") | 3000K - 6500K | 135 X 220 | 145 X 235 | 100 |
| ER008 | 10W - 15W | COB ZOOM ROUND | 3000K - 6500K | 95 X 95 | 110 X 110 | 55 |
| ER009 | 20W - 27W | COB ZOOM ROUND | 3000K - 6500K | 123 X 123 | 132 X 132 | 108 |
| ER010 | 30W - 36W | COB ZOOM ROUND | 3000K - 6500K | 139 X 139 | 145 X 145 | 147 |
| ER011 | 30W - 50W | COB ZOOM ROUND | 3000K - 6500K | 180 X 180 | 190 X 190 | 135 |



Fixed Down Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|------------|--------|
| | | | Cut Out Size | Outer Size | Height |
| ER012 | 7W-10W | 3000K - 6500K | 60 | 70 | 58 |
| ER013 | 12W-15W | 3000K - 6500K | 72 | 82 | 68 |
| ER014 | 18W-24W | 3000K - 6500K | 96 | 106 | 88 |
| ER015 | 30W-32W | 3000K - 6500K | 107 | 114 | 100 |
| ER016 | 36W-45W | 3000K - 6500K | 114 | 119 | 110 |



Tiltable Downlight

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|------------|--------|
| | | | Cut Out Size | Outer Size | Height |
| ER017 | 3W - 7W | 3000K - 6500K | 52 | 59 | 35 |
| ER018 | 7W - 10W | 3000K - 6500K | 64 | 70 | 58 |
| ER019 | 12W - 15W | 3000K - 6500K | 75 | 83 | 68 |
| ER020 | 18W - 24W | 3000K - 6500K | 105 | 112 | 82 |
| ER021 | 30W - 32W | 3000K - 6500K | 123 | 132 | 100 |
| ER022 | 36W - 45W | 3000K - 6500K | 139 | 145 | 105 |



Vertical Track Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|-------|--------|
| | | | Height | Width | Length |
| ER023 | 18W - 30W | 3000K - 6500K | 160 | 90 | 125 |
| ER024 | 32W - 35W | 3000K - 6500K | 165 | 86 | 165 |
| ER025 | 18W - 30W | 3000K - 6500K | 165 | 96 | 165 |



Horizontal Track Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|----------|
| | | | Length | Diameter |
| ER026 | 25W - 35W | 3000K - 6500K | 180 | 86 |
| ER027 | 40W - 45W | 3000K - 6500K | 180 | 96 |



Cylinder Track Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|----------|
| | | | Height | Diameter |
| ER028 | 8W - 10W | 3000K - 6500K | 135 | 50 |
| ER029 | 12W - 20W | 3000K - 6500K | 180 | 60 |
| ER030 | 24W - 27W | 3000K - 6500K | 150 | 80 |
| ER031 | 30W - 32W | 3000K - 6500K | 180 | 80 |
| ER032 | 36W - 40W | 3000K - 6500K | 150 | 100 |
| ER033 | 45W - 50W | 3000K - 6500K | 180 | 100 |



COB Boxy Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|-------------------------|--------------|
| | | | Height X Width X Length | Cut Out Size |
| ER034 | 18W | 3000K - 6500K | 150 X 300 X 125 | 140 x 280 |
| ER035 | 24W | 3000K - 6500K | 150 X 300 X 125 | 140 x 280 |
| ER036 | 30W | 3000K - 6500K | 150 X 300 X 125 | 140 x 280 |
| ER037 | 35W | 3000K - 6500K | 150 X 300 X 125 | 140 x 280 |



Trunking Profile Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--------------------|----------------|-------|--------|
| | | | Length | Width | Height |
| ER038 | 28W - 56W | 3000K - 6500K | 1140 | 60 | 40 |



Euro Profile Light

| Code | Wattage (W) | Degree | Colour Temperature | Dimension (mm) | | |
|-------|-------------|--|--------------------|----------------|-------|--------|
| | | | | Height | Width | Length |
| ER039 | 36W - 40W | 30°, 60°, 90°, Double Symmteric 25° | 3000K - 6500K | 340 | 67 | 41 |
| ER040 | 60W - 72W | 30°, 60°, 90°, Double Symmteric 25° | 3000K - 6500K | 680 | 67 | 41 |
| ER041 | 80W - 120W | 30°, 60°, 90°, Double Symmteric 25° | 3000K - 6500K | 1020 | 67 | 41 |



Hanging Cylinder Light

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|----------|
| | | | Height | Diameter |
| ER042 | 8W - 10W | 3000K - 6500K | 135 | 50 |
| ER043 | 12W - 20W | 3000K - 6500K | 180 | 60 |
| ER044 | 24W - 27W | 3000K - 6500K | 150 | 80 |
| ER045 | 30W - 32W | 3000K - 6500K | 180 | 80 |
| ER046 | 36W - 40W | 3000K - 6500K | 150 | 100 |
| ER047 | 45W - 50W | 3000K - 6500K | 180 | 100 |



Bell Mount

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|----------|
| | | | Height | Diameter |
| ER048 | 20W - 40 W | 3000K - 6500K | 268 | 262 |



Pendant Lights

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|----------|
| | | | Height | Diameter |
| ER049 | 20W - 40 W | 3000K - 6500K | 350 | 312 |



INDUSTRIAL LIGHTING



Lens Street Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|-------------------------|-----------|
| | | | | Length X Width X Height | Pipe Size |
| ET001 | 18W - 24W | 3000K - 6500K | IP65 | 285 X 107 X 65 | 40 |
| ET002 | 30W - 36W | 3000K - 6500K | IP65 | 335 X 125 X 65 | 45 |
| ET003 | 50W - 72W | 3000K - 6500K | IP65 | 400 X 160 X 65 | 45 |
| ET004 | 100W - 120W | 3000K - 6500K | IP65 | 485 X 190 X 70 | 60 |
| ET005 | 150W - 180W | 3000K - 6500K | IP65 | 75 X 205 X 70 | 60 |



Frame Street Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|-------------------------|-----------|
| | | | | Length X Width X Height | Pipe Size |
| ET006 | 45W - 60W | 3000K - 6500K | IP65 | 297 X 95 X 88 | 40 |
| ET007 | 70W - 120W | 3000K - 6500K | IP65 | 360 X 160 X 80 | 60 |
| ET008 | 150W - 180W | 3000K - 6500K | IP65 | 404 X 180 X 115 | 60 |
| ET009 | 200W - 220W | 3000K - 6500K | IP65 | 470X 230 X 85 | 60 |
| ET010 | 250W - 280W | 3000K - 6500K | IP65 | 555 X 262 X 88 | 65 |



Slim Flood Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) |
|-------|-------------|--------------------|--------------------|--------------------------|
| | | | | Fixture Size (L x W x H) |
| ET011 | 10W - 20W | 3000K - 6500K | IP65 | 163 X 160 X 45 |
| ET012 | 30W - 60W | 3000K - 6500K | IP65 | 200 X 180 X 60 |
| ET013 | 72W - 80W | 3000K - 6500K | IP65 | 215 X 205 X 60 |
| ET014 | 100W - 120W | 3000K - 6500K | IP65 | 270 X 245 X 70 |
| ET015 | 150W - 200W | 3000K - 6500K | IP65 | 305 X 285 X 75 |
| ET016 | 250W - 280W | 3000K - 6500K | IP65 | 345 X 325 X 80 |
| ET017 | 300W - 350W | 3000K - 6500K | IP65 | 415 X 370 X 80 |



Delux Flood Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) |
|-------|-------------|--------------------|--------------------|--------------------------|
| | | | | Fixture Size (L x W x H) |
| ET018 | 15W - 20W | 3000K - 6500K | IP65 | 130 X 100 X 35 |
| ET019 | 30W - 60W | 3000K - 6500K | IP65 | 210 X 150 X 60 |
| ET020 | 72W - 120W | 3000K - 6500K | IP65 | 295 X 240 X 70 |
| ET021 | 150W - 200W | 3000K - 6500K | IP65 | 345 X 250 X 75 |
| ET022 | 250W - 280W | 3000K - 6500K | IP65 | 390 X 300 X 80 |
| ET023 | 300W - 400W | 3000K - 6500K | IP65 | 500 X 340 X 80 |
| ET024 | 500W - 600W | 3000K - 6500K | IP65 | 500 X 340 X 80 |



Cosmoblade Lens Flood Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Lens Degree | Dimension (mm) |
|-------|-------------|--------------------|--------------------|-------------|----------------------|
| | | | | | Fixture Size (L x W) |
| ET025 | 50W - 60W | 3000K - 6500K | IP65 | 80° - 90° | 170 X 136 |
| ET026 | 100W - 120W | 3000K - 6500K | IP65 | 80° - 90° | 345 X 136 |
| ET027 | 150W - 180W | 3000K - 6500K | IP65 | 80° - 90° | 510 X 136 |
| ET028 | 200W - 250W | 3000K - 6500K | IP65 | 80° - 90° | 345 X 272 |
| ET029 | 300W - 350W | 3000K - 6500K | IP65 | 80° - 90° | 492 X 445 |
| ET030 | 400W | 3000K - 6500K | IP65 | 80° - 90° | 690 X 272 |
| ET031 | 500W | 3000K - 6500K | IP65 | 80° - 90° | 690 X 272 |
| ET032 | 1000W | 3000K - 6500K | IP65 | 80° - 90° | 815 X 680 |




V1 High Bay Lights

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) |
|-------|-------------|--------------------|--------------------|----------------------|
| | | | | Fixture Size (D x H) |
| ET033 | 30W - 60W | 3000K - 6500K | IP65 | 185 X 50 |
| ET034 | 72W - 120W | 3000K - 6500K | IP65 | 230 X 60 |
| ET035 | 150W - 250W | 3000K - 6500K | IP65 | 320 X 70 |
| ET036 | 300W - 400W | 3000K - 6500K | IP65 | 370 X 85 |



V2 High Bay Lights

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) |
|-------|-------------|--------------------|--------------------|----------------------|
| | | | | Fixture Size (L x W) |
| ET037 | 80W - 120W | 3000K - 6500K | IP65 | 245 X 145 |
| ET038 | 150W - 250W | 3000K - 6500K | IP65 | 345 X 160 |



Spiral High Bay Lights

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) |
|-------|-------------|--------------------|--------------------|----------------------|
| | | | | Fixture Size (D x H) |
| ET039 | 50W - 120W | 3000K - 6500K | IP65 | 220 X 50 |
| ET040 | 150W - 180W | 3000K - 6500K | IP65 | 320 X 50 |
| ET041 | 200W - 250W | 3000K - 6500K | IP65 | 360 X 170 |



Linear High Bay Lights

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|-------|--------|
| | | | | Length | Width | Height |
| ET042 | 80W - 120W | 3000K - 6500K | IP66 | 680 | 67 | 41 |
| ET043 | 150W - 180W | 3000K - 6500K | IP66 | 1020 | 67 | 41 |
| ET044 | 200W - 240W | 3000K - 6500K | IP66 | 1360 | 67 | 41 |



Diecast Well Glass

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------------|--|
| | | | | Fixture Size (D x H) | |
| ET045 | 24W - 36W | 3000K - 6500K | IP65 | 145 X 80 | |
| ET046 | 40W - 60W | 3000K - 6500K | IP65 | 185 X 50 | |
| ET047 | 70W - 100W | 3000K - 6500K | IP65 | 230 X 60 | |



Spinning Well Glass

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|--------|
| | | | | Diameter | Height |
| ET048 | 36W | 3000K - 6500K | IP65 | 200 | 205 |



MS Linear Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|-------|--------|
| | | | | Length | Width | Height |
| ET049 | 18W - 24W | 3000K - 6500K | IP20 | 600 | 50 | 40 |
| ET050 | 30W - 60W | 3000K - 6500K | IP20 | 1200 | 50 | 40 |



Industrial Linear Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|-------|--------|
| | | | | Length | Width | Height |
| ET051 | 28W - 56W | 3000K - 6500K | IP54 | 1140 | 70 | 60 |
| ET052 | 60W - 120W | 3000K - 6500K | IP54 | 2255 | 70 | 60 |



Triproof Linear Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|-------|--------|
| | | | | Length | Width | Height |
| ET053 | 28W - 56W | 3000K - 6500K | IP65 | 1140 | 70 | 60 |
| ET054 | 60W - 120W | 3000K - 6500K | IP65 | 2255 | 70 | 60 |



Tunnel Light

| Code | Wattage (W) | Degrees Available | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|-----------------------------------|--------------------|--------------------|----------------|-------|
| | | | | | Length | Width |
| ET055 | 80W - 100W | 30°, 60°, Double Asymmetric – 20° | 3000K - 6500K | IP66 | 340 | 137 |
| ET056 | 160W - 200W | 30°, 60°, Double Asymmetric – 20° | 3000K - 6500K | IP66 | 340 | 274 |



Stadium Light

| Code | Wattage (W) | Degrees Available | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|-----------------------------------|--------------------|--------------------|----------------|-------|--------|
| | | | | | Length | Width | Height |
| ET057 | 40W - 50W | 30°, 60°, Double Asymmetric – 20° | 3000K - 6500K | IP66 | 360 | 260 | 70 |
| ET058 | 80W - 100W | 30°, 60°, Double Asymmetric – 20° | 3000K - 6500K | IP66 | 360 | 260 | 285 |
| ET059 | 160W - 200W | 30°, 60°, Double Asymmetric – 20° | 3000K - 6500K | IP66 | 360 | 260 | 575 |



Clean Room Lights

| Code | Wattage (W) | Colour Temperature | Frame Finish | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------|--------------------|----------------|-------|--------|
| | | | | | Length | Width | Height |
| ET060 | 18W | 3000K - 6500K | MS/SS | IP54 | 300 | 300 | 70-85 |
| ET061 | 20W | 3000K - 6500K | MS/SS | IP54 | 300 | 600 | 70-85 |
| ET062 | 36W | 3000K - 6500K | MS/SS | IP54 | 300 | 1200 | 70-85 |
| ET063 | 36W | 3000K - 6500K | MS/SS | IP54 | 600 | 600 | 70-85 |
| ET064 | 72W | 3000K - 6500K | MS/SS | IP54 | 600 | 1200 | 70-85 |



Dome FLP Well Glass

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|--------|
| | | | Diameter | Height |
| ET065 | 20W - 45W | 3000K - 6500K | 225 | 179 |
| ET066 | 50W - 80W | 3000K - 6500K | 256 | 215 |
| ET067 | 90W - 120W | 3000K - 6500K | 300 | 210 |



Flat FLP Well Glass

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|--------|
| | | | Diameter | Height |
| ET068 | 80W - 120W | 3000K - 6500K | 265 | 160 |
| ET069 | 150W - 200W | 3000K - 6500K | 300 | 180 |
| ET070 | 250W - 300W | 3000K - 6500K | 345 | 170 |



FLP Tubelight

| Code | Wattage (W) | Colour Temperature | Dimension (mm) | |
|-------|-------------|--------------------|----------------|--------|
| | | | Length | Height |
| ET071 | 10W - 20W | 3000K - 6500K | 2 Ft / 4 Ft | 180 |
| ET072 | 20W - 40W | 3000K - 6500K | 2 Ft / 4 Ft | 180 |



LANDSCAPE LIGHTING



Simple Spike Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|--------|
| | | | | Size | Height |
| EL001 | 6W - 12W | 3000K - 6500K | IP65 | 100X 75 | 100 mm |



Telescopic Spike

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) |
|-------|-------------|--------------------|--------------------|-------------------|
| | | | | Diameter X Height |
| EL002 | 3W | 3000K - 6500K | IP65 | 60 X 130 |
| EL003 | 6W | 3000K - 6500K | IP65 | 73 X 180 |



Pillar Highlighter

| Code | Wattage (W) | Beam Angle | Colour Temperature | Ingress Protection | Dimension (mm) |
|-------|-------------|------------|------------------------------|--------------------|-------------------|
| | | | | | Diameter X Height |
| EL004 | 3W - 6W | 10° | 3000K - 6500K R, G, B, Amber | IP65 | 42 X 81 |
| EL005 | 8W - 12W | 10° | 3000K - 6500K R, G, B, Amber | IP65 | 71 X 155 |



Plastic Bulkhead V1

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) |
|-------|-------------|--------------------|--------------------|-------------------------|
| | | | | Height X Length X Width |
| EL006 | 10W | 3000K - 6500K | IP65 | 50 X 175 X 95 |



Plastic Bulkhead V2

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|--------|-------|
| | | | | Height | Length | Width |
| EL007 | 6W | 3000K - 6500K | IP65 | 50 | 125 | 95 |
| EL008 | 10W | 3000K - 6500K | IP65 | 50 | 175 | 95 |



Plastic Bulkhead V3

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|--------|-------|
| | | | | Height | Length | Width |
| EL009 | 10W | 3000K - 6500K | IP65 | 65 | 175 | 95 |



Aluminium Bulkhead

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|-------|--------|
| | | | | Length | Width | Height |
| EL010 | 8W - 24W | 3000K - 6500K | IP65 | 205 | 122 | 70 |



K Wall Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|-------|--------|
| | | | | Length | Width | Height |
| EL011 | 3W | 3000K - 6500K | IP54 | 80 | 65 | 75 |
| EL012 | 6W | 3000K - 6500K | IP54 | 80 | 65 | 142 |



Flat Wall Light

| Code | Wattage (W) | Beam Angle | Colour Temperature | Ingress Protection | Dimension (mm) |
|-------|-------------|------------|--------------------|--------------------|-------------------------|
| | | | | | Height X Length X Width |
| EL013 | 2 * 3W | 60° | 3000K - 6500K | IP54 | 65 X 50 X 60 |
| EL014 | 4 * 3W | 60° | 3000K - 6500K | IP54 | 77 X 77 X 57 |



Surface Wall Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|-------|--------|
| | | | | Length | Width | Height |
| EL015 | 4W | 3000K - 6500K | IP54 | 95 | 70 | 45 |
| EL016 | 8W | 3000K - 6500K | IP54 | 150 | 70 | 45 |



Wall Washer

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|-------|--------|
| | | | | Length | Width | Height |
| EL017 | 20W - 24W | 3000K - 6500K RGB | IP66 | 500 | 46 | 50 |
| EL018 | 40W - 48W | 3000K - 6500K RGB | IP66 | 1000 | 46 | 50 |



Rigid Bar

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|-------|--------|
| | | | | Length | Width | Height |
| EL019 | 6W - 12W | 3000K - 6500K RGB | IP67 | 500 | 17 | 11 |
| EL020 | 15W - 24W | 3000K - 6500K RGB | IP67 | 1000 | 17 | 11 |



Metal Body Swimming Pool Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|--------|
| | | | | Diametere | Height |
| EL021 | 6W - 18W | 3000K - 6500K, RGB | IP68 | 100 | 22 |
| EL022 | 9W - 27W | 3000K - 6500K, RGB | IP68 | 125 | 25 |
| EL023 | 12W - 36W | 3000K - 6500K, RGB | IP68 | 125 | 25 |



ABS Body Swimming Pool Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|--------|
| | | | | Diametere | Height |
| EL024 | 3W - 9W | 3000K - 6500K, RGB | IP68 | 140 | 40 |
| EL025 | 6W - 18W | 3000K - 6500K, RGB | IP68 | 165 | 40 |
| EL026 | 9W - 27W | 3000K - 6500K, RGB | IP68 | 228 | 40 |
| EL027 | 12W - 36W | 3000K - 6500K, RGB | IP68 | 228 | 40 |




Full Lens Swimming Pool Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|--------|
| | | | | Diametere | Height |
| EL028 | 12W - 36W | 3000K - 6500K, RGB | IP68 | 225 | 40 |



SS Swimming Pool Light

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|--------|
| | | | | Diametere | Height |
| EL029 | 6W - 36W | 3000K - 6500K, RGB | IP68 | 200 | 35 |



Square Bollard

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|-------------|
| | | | | Diametere | Height |
| EL030 | 8W - 15W | 3000K - 6500K | IP66 | 95 | 300/600/900 |



Triangle Bollard

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|-------------|
| | | | | Diametere | Height |
| EL031 | 8W - 15W | 3000K - 6500K | IP66 | 100 | 300/600/900 |



Table Top Bollard

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|---------|-------------|
| | | | | Pole Dia | Top Dia | Height |
| EL032 | 8W - 15W | 3000K - 6500K | IP66 | 60 | 150 | 300/600/900 |



Street Light Bollard

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|---------|---------|
| | | | | Length | Breadth | Height |
| EL033 | 8W - 15W | 3000K - 6500K | IP66 | 100 | 45 | 600/900 |




Tower Bollard

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|-------------|
| | | | | Diametere | Height |
| EL034 | 8W - 15W | 3000K - 6500K | IP66 | 85 | 300/550/850 |



Peak Bollard


| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|-------------|
| | | | | Diametere | Height |
| EL035 | 8W - 15W | 3000K - 6500K | IP66 | 85 | 300/550/850 |



Donut Postop

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | | |
|-------|-------------|--------------------|--------------------|----------------|---------|----------|----------------|
| | | | | Diametere | Height | Pole Dia | Pole Hieght |
| EL036 | 50W - 100W | 3000K - 6500K | IP66 | 400/500 | 300/400 | 60/75 | 2400/3000/3600 |


*Pole is optional.



Flag Postop

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | | |
|-------|-------------|--------------------|--------------------|----------------|--------|----------|----------------|
| | | | | Diametere | Height | Pole Dia | Pole Hieght |
| EL037 | 50W - 100W | 3000K - 6500K | IP66 | 475 | 100 | 60 | 2400/3000/3600 |


*Pole is optional.



Mashaal Postop

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | | |
|-------|-------------|--------------------|--------------------|----------------|--------|----------|----------------|
| | | | | Diametere | Height | Pole Dia | Pole Hieght |
| EL038 | 30W - 50W | 3000K - 6500K | IP66 | 500 | 425 | 75 | 2400/3000/3600 |


*Pole is optional.



Tilted Postop

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | | |
|-------|-------------|--------------------|--------------------|----------------|--------|----------|----------------|
| | | | | Diametere | Height | Pole Dia | Pole Hieght |
| EL039 | 30W - 50W | 3000K - 6500K | IP66 | 500 | 425 | 75 | 2400/3000/3600 |


*Pole is optional.



King Postop

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | | |
|-------|-------------|--------------------|--------------------|----------------|--------|----------|----------------|
| | | | | Diametere | Height | Pole Dia | Pole Hieght |
| EL040 | 30W - 50W | 3000K - 6500K | IP66 | 500 | 700 | 75 | 2400/3000/3600 |


*Pole is optional.



Queen Postop

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | | |
|-------|-------------|--------------------|--------------------|----------------|--------|----------|----------------|
| | | | | Diametere | Height | Pole Dia | Pole Hieght |
| EL041 | 30W - 50W | 3000K - 6500K | IP66 | 325 | 450 | 60 | 2400/3000/3600 |


*Pole is optional.



Umbrella Postop

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | | |
|-------|-------------|--------------------|--------------------|----------------|--------|----------|----------------|
| | | | | Diametere | Height | Pole Dia | Pole Hieght |
| EL042 | 30W - 50W | 3000K - 6500K | IP66 | 350 | 100 | 60 | 2400/3000/3600 |


*Pole is optional.



Drum Postop

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | | |
|-------|-------------|--------------------|--------------------|----------------|--------|----------|----------------|
| | | | | Diametere | Height | Pole Dia | Pole Hieght |
| EL043 | 30W - 50W | 3000K - 6500K | IP66 | 300 | 200 | 60 | 2400/3000/3600 |

*Pole is optional.



Zero Postop

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | | |
|-------|-------------|--------------------|--------------------|----------------|--------|----------|----------------|
| | | | | Diametere | Height | Pole Dia | Pole Hieght |
| EL044 | 30W - 50W | 3000K - 6500K | IP66 | 350 | 20 | 60 | 2400/3000/3600 |


*Pole is optional.



Fountain Postop


| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | | |
|-------|-------------|--------------------|--------------------|----------------|--------|----------|----------------|
| | | | | Diametere | Height | Pole Dia | Pole Hieght |
| EL045 | 30W - 50W | 3000K - 6500K | IP66 | 450 | 650 | 75 | 2400/3000/3600 |

*Pole is optional.




Bamboo Pole

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|-------------------|----------------|
| | | | | Diametere | Acrylic Height(L) | Pole Height(P) |
| EL046 | 12W - 36W | 3000K - 6500K | IP66 | 75 | 300/600/900 | 1200/1800/2400 |
| EL047 | 24W - 50W | 3000K - 6500K | IP66 | 100 | 600/900 | 1800/2400/3000 |




Square Pole

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | | |
|-------|-------------|--------------------|--------------------|----------------|-------------------|----------------|
| | | | | Diametere | Acrylic Height(L) | Pole Height(P) |
| EL048 | 24W - 50W | 3000K - 6500K | IP66 | 100 | 600/900/1200 | 1800/2400/3000 |




Grill Pole

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|----------------|
| | | | | Diametere | Pole Height |
| EL049 | 24W - 50W | 3000K - 6500K | IP66 | 100 | 1800/2400/3000 |




AC Tower Pole

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|----------------|
| | | | | Diameter | Pole Height |
| EL050 | 24W - 50W | 3000K - 6500K | IP66 | 150 X 100 | 1800/2400/3000 |



Zigzag Pole

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|----------------|
| | | | | Diameters | Pole Height |
| EL051 | 50W - 100W | 3000K - 6500K | IP66 | 50 X 100 | 2400/3000/3600 |
| EL052 | 50W - 100W | 3000K - 6500K | IP66 | 100 X 100 | 2400/3000/3600 |



Y Pole

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|----------------|
| | | | | Diameters | Pole Height |
| EL053 | 50W - 100W | 3000K - 6500K | IP66 | 50 X 100 | 2400/3000/3600 |
| EL054 | 50W - 100W | 3000K - 6500K | IP66 | 100 X 100 | 2400/3000/3600 |



Maharaja Pole

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|----------------|
| | | | | Diametere | Pole Height |
| EL055 | 50W - 100W | 3000K - 6500K | IP66 | 60 X 114 | 3000/4000/5000 |



Maharani Pole

| Code | Wattage (W) | Colour Temperature | Ingress Protection | Dimension (mm) | |
|-------|-------------|--------------------|--------------------|----------------|----------------|
| | | | | Diametere | Pole Height |
| EL056 | 24W - 50W | 3000K - 6500K | IP66 | 75 | 2400/3000/3600 |
| EL057 | 50W - 100W | 3000K - 6500K | IP66 | 75 X 114 | 2400/3000/3600 |



POWERED BY LED CHIPS & DRIVERS FROM

PHILIPS

OSRAM

FULHAM
Lighting • Glass • Driver Electronics

LUMILEDS

BRIDGELUX

Factory Address

Gala No 106-114, Pushpraj Industrial
Estate, Naikpada, Vasai (E),
Mumbai-401208

Office Address

#10/169, 3rd main, 4th cross,
Wilson Garden,
Bangalore- 560027

Contact Details

9731764360 / 9448397010

globalexcel@excelpowerworld.com